

Kaipara te Oranganui. Two Oceans Two Harbours

GHG Emissions Report

FY2020

Prepared for Kaipara District Council By CarbonEES L6, Waterside House 220 Willis Street PO Box 6004 Marion Square Wellington Tel: 04 384 6121

Email: general@carbonees.com
Website: www.carbonees.com

Table of Content

	Summary	
Method	ology	3
Bounda	γ	3
Results		4
Opportu	ınities and Recommendations	4
1.0 Introd	uction	5
2.0 Metho	dology	5
2.1	Organisational Boundary	6
2.1.1	Exclusions	7
2.2	Operational Boundary	7
2.3	Inventory Emission Sources, Emission Factors and Activity Data	8
2.3.1	Scope 1 Direct Emissions	
2.3.2	Scope 2 Indirect Emissions	8
2.3.3	Scope 3 Other Indirect Emissions	8
3.0 Result	5	. 10
3.1	All Activities and Scopes	. 10
3.2	Organisational Emissions	. 11
3.2.1	Scope 1 Emissions	. 11
3.2.2	Scope 2 Emissions	. 12
3.2.3	Scope 3 Emissions	. 13
4.0 GHG E	missions Reduction Opportunities	. 15
4.1	Reduce Wastewater Treatment Emissions	. 15
4.2	Reduce Vehicle Fleet Emissions	. 15
4.3	Implement Sustainable Procurement Policies	. 15
4.3	Reduce Employee Commuting Emissions	. 15
5.0 Discus	sion	. 16
5.1 Emis	ssion reduction targets	. 16
5.2 Com	parison to Baseline	. 16
6.0 Refere	nces	. 17
7.0 Glossa	ry	. 18
Appendix .	A: Data quality	. 19

Intended Use and Copyright

All information presented herein is for the use of KDC within the specific intention of the consultancy commission. Use of the information for any purpose other than that intended could be misleading, inaccurate, and inappropriate. Energy and Technical Services Ltd (CarbonEES) accepts no liability for any loss, damage or consequence resulting directly or indirectly from the use of this report.

© Energy and Technical Services Ltd. (CarbonEES) May 2021

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the written permission of Energy and Technical Services Ltd.

Disclaimer

Energy and Technical Services Ltd (CarbonEES) has prepared this report in accordance with generally accepted practices and standards at the time it was prepared. It is prepared in accordance with the Scope of work and for the purpose outlined in the contract dated 13th January 2020.

Information has been provided to Energy and Technical Services Ltd (CarbonEES) by third parties. Energy and Technical Services Ltd (CarbonEES) assumes no liability for any inaccuracies in or omissions to that information.

This Report was prepared between 13th January 2020 and 10th June 2021 and is based on the conditions encountered and information reviewed at the time of preparation. Energy and Technical Services Ltd (CarbonEES) disclaims responsibility for any changes that may have occurred after this time.

This Report should be read in full. No responsibility is accepted for use of any part of this report in any other context or for any other purpose or by third parties. The information is not advice and should not be treated as such.



Executive Summary

Kaipara District Council (KDC) commissioned CarbonEES to calculate its organisational greenhouse gas (GHG) inventory for their financial year FY2019-2020.

This inventory is a calculated estimate of all GHGs emitted as a result of activities under the control of KDC between 1st July 2019 and 30th June 2020.

This report serves to highlight key emission sources for future management, compare results to the baseline year, provide recommendations on carbon reducing opportunities and importantly demonstrate to key stakeholders that the KDC is actively involved in measuring, monitoring, and managing its GHG emissions.

Organisational GHG emissions for KDC for the 2019/20 reporting period are estimated to be 4,038 tonnes carbon dioxide equivalent (tCO₂e).


Methodology

The KDC GHG Emissions Report was developed in accordance with the "Greenhouse Gas Protocol: A Corporate Accounting and Reporting Standard" (2004). The emissions calculations for Scope 3 emission sources were informed by "Corporate Value Chain (Scope 3) Accounting and Reporting Standard" (2011). The terms used in this report are explained in the Glossary.

Boundary

The geographic boundary of the KDC is defined by the location of KDC's facilities. The organisational boundary follows an operational control approach. As such, this emissions inventory includes all sources associated with activities KDC had operational control over in the period 1st July 2019 to 30th June 2020.

Figure 1 - KDC facilities within the organisational boundary





Results

Overall, it was estimated that total GHG emissions from KDC were $4{,}038$ tonnes of CO_2e from 2019/20.

Most of the emissions are a result of Purchased goods and services (27%), Capital goods (26%) and Wastewater treatment (16%).

A high-level breakdown of the emission sources and their related emissions is provided below.

Purchased goods and services: Repair and maintenance Capital goods: Heavy and civil engineering construction Wastewater treatment plant Employee commuting: Car - Petrol Waste in operations: Sludge Purchased electricity Purchased goods and services: Chemicals Capital goods: Sewerage and drainage services Capital goods: Water supply Council Vehicles: Diesel 200 300 600 700 100 400 500 800 900 tCO2e

Figure 2 - Top emissions sources and their related emissions

Table 1 - Emissions by scope and their proportions

Scope	tCO₂e	% of total
Scope 1 – Direct Emissions	707	17%
Scope 2 – Indirect Emissions	194	5%
Scope 3 – Other Indirect Emissions	3,137	78%
Total	4,038	tCO₂e

Opportunities and Recommendations

We see opportunities to reduce organisational emissions around Wastewater Treatment, Vehicle Fleet emissions, Sustainable Procurement, and Employee Commuting.

We recommend:

- Gathering primary Wastewater Treatment emissions data via direct methane emission measurements, then exploring process improvements and the possibility of gas capture and flaring. Additionally, exploring alternative sludge disposal methods.
- Completing vehicle use study to gather a better understanding of how existing vehicles are being used so that council can optimise its vehicle fleet and then look to purchase lower emissions vehicles.
- Implement Sustainable Procurement policies and guidelines to select relevant providers and to require larger contract providers to estimate and report their Scope 1 and Scope 2 emissions (at a minimum) and demonstrate their reduction performance.



1.0 Introduction

KDC has commissioned CarbonEES in October 2019 to calculate its organisational greenhouse gas (GHG) inventory for their financial year 2019/2020. This report contains the results and discussion around that assessment and provides recommendations on possible GHG emission reduction measures.

This GHG inventory is a calculated estimate of all GHGs emitted as a result of activities under the control of the KDC between 1st July 2019 and 30th June 2020.

There are objectives to this foot-printing project are to:

- Provide information to the KDC on their overall organisational GHG emissions for Scope 1, 2 and 3 emission sources.
- Highlight key emission sources for future management.
- Recommend high level actions that would enable the KDC to reduce its emissions.
- Provide a GHG emissions baseline to measure future performance against and to provide the context to set an organisational emissions target.

2.0 Methodology

This assessment follows the guidelines in the Greenhouse Gas Protocol: A Corporate Accounting and Reporting Standard, published by the World Business Council for Sustainable Development and the World Resources Institute, 2004. This section covers the following areas: boundary definition and exclusions, emission factors, activity data, assumptions, and limitations.

Figure 3 - KDC locations and geographic boundary






2.1 Organisational Boundary

When undertaking an emissions inventory study, it is essential to first establish the organisational boundary for the inventory. In this study, the organisational boundary is defined using the operational control approach.

As such, this emissions inventory includes all sources and sinks associated with activities where KDC has control and the full authority to introduce and implement its operating policies.

Figure 4 illustrates the organisational boundaries as defined in this report. KDC has sites for which it has operational control as shown with the sites with the solid lines, and sites for which it has an equity share but no operational control as shown by the broken line. The Kauri Coast Community Swimming pool is excluded from the operational boundary due to lack of operational control.

Figure 4 - KDC activities and other groups defined within the organisational boundary.





2.1.1 Exclusions

The following emissions have been excluded from the organisational carbon footprint.

Table 2 - Emission sources excluded from KDC footprint.

Potential emission source	Reason for Exclusion
Employees working from home (Scope 3, Category 7)	Emissions from working from home have not been included. Data for estimating these emissions was unavailable.
Upstream leased assets (i.e., assets leased by 3rd parties - Scope 3, Category 8)	No operational control.
	Not applicable as KDC pays for the transportation and distribution of its sold golds. They are reported under Category 4.
Processing of sold products (Scope 3, Category 10)	Not applicable.
Use of sold products (Scope 3, Category 11)	Not applicable.
End-of-life treatment of sold products (Scope 3, Category 12)	Not applicable.
Downstream leased assets (i.e., assets leased to 3rd parties – Scope 3, Category 13)	No operational control.
Franchises (Scope 3, Category 14)	Not applicable.
Investments (Scope 3, Category 15)	No operational control.

2.2 Operational Boundary

Within the organisational boundary, an operational boundary of emission sources or activities is then defined. Using the operational control approach, all direct emission sources within the organisational boundary defined above are reported as Scope 1, with all remaining emissions reported as Scope 2 or 3 emissions. The table below provides more explanation on the concept of Scope.

Table 3 - Scopes as defined in the Greenhouse Gas Protocol

	Definition	Example
Scope 1: Direct emissions	Direct emissions that occur from sources owned or controlled by KDC	The combustion of fuels in the vehicle fleet
Scope 2: Electricity indirect emissions	Emissions associated with the generation of electricity that is purchased by KDC	Electricity consumed in KDC buildings
Scope 3: Other indirect emissions	Emissions that are a consequence of KDC's activities, but from sources they do not own or control	Business taxi and air travel



2.3 Inventory Emission Sources, Emission Factors and Activity Data

This section describes the activities covered within each Scope. A brief description is provided on each activity, covering where activity data was collected and where emission factors were sourced, along with a comment on the data quality (see Appendix A for details). Emission factors all include the 7 greenhouse gases (CO₂, CH₄, N₂O, HFCs, PFCs, SF₆ and NF₃) in accordance with requirements under the GHG Protocol. Emission factors are derived from a range of sources, principally from MfE (2020) with missing factors acquired from DEFRA (2019), Motu (2014), NZ Post (2020) and Liu H. (2018). The individual sources are provided in the accompanying Excel spreadsheet.

2.3.1 Scope 1 Direct Emissions

Mobile Fuel Combustion

KDC has both petrol and diesel vehicles in its fleet. Fuel consumption data has been provided by BP and Z Energy. Emission factors were taken from MfE (2020). Both activity data and emission factors are considered to be of a high quality (M1).

Wastewater Treatment

KDC owns and operate the Mangawhai, Dargaville, Glinks Gully, Kaiwaka, Maungatoroto and Te Kopuru Wastewater Treatment plants. The process emissions (CH4, N2O) were estimated using Population based estimate from MfE(2020). Input data was provided by KDC and Stats NZ. The quality of this data is considered to be satisfactory (E2/E3).

Stationary Fuel Combustion

KDC burns LPG at its facilities for heating. Fuel consumption data has been provided by Gas and Tyre. Emission factors were taken from MfE (2020). Both activity data and emission factors are considered to be of a high quality (M1).

2.3.2 Scope 2 Indirect Emissions

Purchased Electricity

Electricity is used at all KDC sites for Pump, Water Treatment, Wastewater, Community Service and Corporate sites. Electricity consumption data has been provided by Genesis Energy and by KDC. Emission factors were provided by MfE (2020) for the 2018 calendar year. Both activity data and emission factors are considered to be of a high quality (M1).

2.3.3 Scope 3 Other Indirect Emissions

Purchased Goods and Services and Capital Goods

Activity data for these Scope 3 indirect emission sources are extracted from the KDC's annual report (except for purchased paper, which was provided by Office Max). Emissions under this category were estimated based on Motu (2014) emissions factors for average industry sectors and activities in New Zealand. Emissions from purchased paper were calculated using an DEFRA (2019) emission factor. The quality of this data is considered to be satisfactory (E2).

Fuel and Energy-Related Activities

As this category estimates the upstream emissions from fuel and energy use, activity data is the same as the relevant Scope 1 and 2 emissions sources (Electricity, Petrol, Diesel) already mentioned. Emissions factors were from MfE (2020) and DEFRA (2019). This data is considered to be of a high quality (M1).



Upstream Transportation and Distribution

These are the emissions from mail and courier packages sent by KDC. The consumption data and emission factors were provided by NZ Post (2020). Both activity data and emission factors are considered to be of a satisfactory (M2).

Waste Generated in Operations

Primary data for waste generated in KDC operations was unavailable. However, an estimate of waste generating in operations was made using workdays of full-time employees (FTE) during the reporting period. Emission factors were provided by MfE (2020). Activity data is seen as satisfactory, and the emission factors is of high quality (E2).

Business Travel

Air Travel – data for Domestic Air Travel has been provided by KDC. The emissions factor was sourced from MfE (2020). Both activity data and emission factors are considered to be of a high quality (M1).

Hotel Accommodation - room nights were also provided by KDC. Emissions factor was sourced from MfE (2020). Both activity data and emission factors are considered to be of a high quality (M1).

Business Travel in Personal Vehicles – Activity data was provided by KDC. Emissions factors were sourced from MfE (2020). Both activity data and emission factors are considered to be of a high quality (M1).

Employee Commuting

A voluntary staff survey (n=69) was carried out to estimate the emissions from employee commuting. Given that the survey was voluntary, and participants were not randomised there maybe be some bias towards those who are environmentally conscious. With that in mind, the response rate was high, and the sample size was roughly 46% of the full-time employees. Emissions factors for each mode of commute was sourced from MfE (2020). The quality of this data is considered to be satisfactory (E2).



3.0 Results

This section presents the results of this GHG Emissions Inventory. It offers a broad overview covering all the activities or groups combined and a detailed review at each individual activity or group. It concludes with a focus on each of the key emission sources.

3.1 All Activities and Scopes

In 2019/20, KDC's total GHG emissions is calculated as 4,038 tonnes CO₂e, of which 707 tonnes are direct emissions (Scope 1), 194 tonnes are from electricity indirect emissions (Scope 2) and 3,136 tonnes are indirect Scope 3 emissions.

Table 4 - Emissions sources and their related emissions

Source	t CO2e	% of total
Scope 1		
Mobile Fuel Combustion (Diesel, Petrol)	157	3.9%
Stationary Fuel Combustion (LPG)	2	0.0%
Wastewater Treatment Plant	548	13.6%
Scope 2		
Purchased Electricity	194	4.8%
Scope 3		
Purchased goods and services	1,195	29.6%
Capital goods	1,186	29.4%
Fuel and energy-related activities	54	1.3%
Upstream Transportation and Distribution	5	0.1%
Waste generated in operations	321	7.9%
Business travel	25	0.6%
Employee commuting	351	8.7%
Total	4,038	t CO2e



3.2 Organisational Emissions

The majority of KDC's organisational emissions are Scope 3 (78%), followed by Scope 1 emissions (17%) and Scope 2 emissions (5%). As shown in the breakdowns below, Capital Goods (Scope 3) are the largest emissions source followed by Purchased Goods and Services (Scope 3).





Figure 5 - Organisational Emissions by Scope (total 4,038 tCO2e)

3.2.1 Scope 1 Emissions

Scope 1 emissions represent the second largest source of emissions, accounting for 18% of the overall footprint. Most of these Scope 1 direct emissions are process emissions from the wastewater treatment plants followed by petrol and then diesel consumption in council vehicles, and lastly, by stationary LPG fuel consumption.





3.2.2 Scope 2 Emissions

Scope 2 emissions are from purchased electricity at all sites.

As shown in Figure 7, most of the Scope 2 emissions come from the electricity consumed by the Wastewater sites (47%) followed by Water supply sites (38%) and Corporate sites (9%). Community services (6%) and Land Drainage (0.13%) sites make up the remainder.

Wastewater 46% Water supply 38% Wastewater Organisation (Corporate) Wastewater Supply Wastewater treatment 1% 9% Land Drainage 0.32% 0.13% .Community Services 6%

Figure 7 - Scope 2 Emissions by Site Type (total 194 tCO₂e)

When organised by site function Pumps produce most of the scope 2 emissions (69%) followed by Filtration Plant (11%) and Offices (8%). Treatment Plants (5%), Libraries (3%), Irrigation (3%), Lighting (0.53%), Recreational Facilities (0.34%) and Public Toilets (0.18%) make up the remainder.





Figure 8 - Scope 2 Emissions by Site Function (total 194 tCO₂e)



3.2.3 Scope 3 Emissions

Scope 3 emissions are the other indirect emissions from KDC's activities, resulting in 3,136 tCO₂e or 79% of the total emissions of KDC.

Figure 9 - Scope 3 Emissions by Category (total 3,136 tCO₂e)



Purchased goods and services (38%) and Capital goods (also 38%) represent the largest Scope 3 emission sources. Five additional sources make up the remainder of Scope 3 emissions including Employee commuting (11%), Waste (10%), Fuel and energy-related activities (1.7%), Business travel (0.79%) and Postage (0.15%).

Figure 10 – Emissions from Purchased goods and services (Category 1) by spend type (total 1,195 tCO₂e)






Figure 11 – Emissions from Capital goods (Category 2) by spend type (total 1,186 tCO $_2$ e)





4.0 GHG Emissions Reduction Opportunities

This section describes a range of GHG emission reduction opportunities that KDC might consider implementing. In many cases, there will be financial savings or other economic benefits associated with implementing these recommendations.

4.1 Reduce Wastewater Treatment Emissions

The third largest source of Kaipara District Council's GHG emissions is from Wastewater Treatment with 13.6% of the overall footprint. Wastewater Treatment emissions are direct emissions source (Scope 1), so council has operational control over how these sites are run.

In addition, there are the indirect emissions from the sludge being sent to landfill (Scope 3, Category 5) which account for a further 8% of the footprint. Combined direct and indirect emissions from Wastewater Treatment equate to 20.3% of the footprint.

Wastewater Treatment emissions can be reduced by reducing the inflows and improving treatment methods. However, reducing wastewater inflows may be limited to working with a few large industrial users, therefore, most of the councils' efforts should be focused towards reducing treatment emissions.

We recommend looking at opportunities to reduce treatment emissions by first gathering primary data via direct methane emission measurements, then exploring process improvements and the possibility of gas capture and flaring. Additionally, council may wish to explore alternative sludge disposal methods that do not produce as much GHG emissions. These may include using the sludge for fertiliser or composting.

4.2 Reduce Vehicle Fleet Emissions

Direct emissions from vehicle fleet emissions were 4% of the total footprint. Additionally, there are the indirect emissions from fuel use which account for a further 1% of the footprint. In total emissions from vehicle fleet are 5% of the footprint.

We recommend starting with a vehicle use study to gather a better understanding of how existing vehicles are being used so that council can optimise its fleet use before looking to upgrade its vehicles with lower emission alternatives such as hybrid and electric vehicles.

4.3 Implement Sustainable Procurement Policies

30% of council emissions were generated from capital goods (Scope 3, Category 2) during the financial year. These include emissions from construction and other assets added to the council's balance sheet during the financial year.

Additionally, 30% of council emissions were from purchased goods and services (Scope 3, Category 1). These includes the councils' operational and maintenance contracts that are not reported in Scope 1 & 2 emissions.

We recommend using sustainable procurement policies and guidelines to select relevant providers and to require larger contract providers to estimate and report their Scope 1 and Scope 2 emissions (at a minimum) and demonstrate their reduction performance.

4.3 Reduce Employee Commuting Emissions

The fourth largest source of council emissions were from employee commuting (Scope 3, Category 7), 8.7% of the total footprint. To reduce these emissions council could encourage employees to consider the emissions from their commuting method by encouraging (possibly incentivising) low emissions commuting such as carpooling and add public transport options. Council should continue to offer work-from-home flexibility to employees, and to support staff to hold virtual meetings where appropriate. EECA has



modelled the impact of working from home. Additionally, data for working from home should be gathered for future inventories.

5.0 Discussion

5.1 Emission reduction targets

Now that Kaipara District Council has completed their second GHG Inventory and has a baseline of their GHG emissions (FY19), the next step for Kaipara District Council is to set an organisational (council wide) GHG emissions reduction target.

We recommend that the council set a target in line with our national target of net zero emissions by 2050 as outlined in the Climate Change Response (Zero Carbon) Amendment Bill.

This would require council to focus on primarily on reducing gross emissions as the price of offsets will likely continue to rise. This means that council should invest in low emission infrastructure today to reduce future offsetting obligations.

5.2 Comparison to Baseline

Kaipara District Council first measured their GHG emissions for the financial year 2019 and table 5 below shows the comparison of the FY20 results with the FY19 results.

Table 5 - Kaipara District Council GHG emissions comparison to baseline (FY19)

Source	FY19	FY20	Change
Scope 1	tCO2e	tCO2e	%
Mobile Fuel Combustion (Diesel, Petrol)	169	157	-7%
Stationary Fuel Combustion (LPG)	3	2	-36%
Wastewater Treatment Plant	545	548	1%
Scope 2			
Purchased Electricity	175	194	11%
Scope 3			
Purchased goods and services	1,332	1,195	-10%
Capital goods	3,088	1,186	-62%
Fuel and energy-related activities	55	54	-2%
Upstream Transportation and Distribution	5	5	-1%
Waste generated in operations	320	321	0.2%
Business travel	33	25	-24%
Employee commuting	292	351	20%
Total	6,019	4,038	-33%

It appears council reduced spending both on purchased goods and services and capital goods during the FY20. This is likely the result of the Covid-19 lockdowns which may have delayed both capital and operational expenditure.

Additionally, the emissions from working from home have not been included in this inventory as at the time of this report there was no data to estimate these emissions. Moving forward council should look to estimate these emissions in the future inventories as working from home may be more common in a post Covid-19 world.



6.0 References

MfE (2020) - Ministry for the Environment. 2020. Measuring Emissions: A Guide for Organisations. 2020 Detailed Guide. Wellington: Ministry for the Environment.

DEFRA (2019) - Department for Environment, Food and Rural Affairs. 2019. Greenhouse gas reporting: conversion factors 2019. United Kingdom.

Motu (2014) - Greenhouse Gas Emissions in New Zealand: A Preliminary Consumption-Based Analysis, Motu Working Paper 14-05, Motu Economic and Public Policy Research, Wellington New Zealand.

David A. Turner, Ian D. Williams, Simon Kemp (2015) - Greenhouse gas emission factors for recycling of source-segregated waste materials. Resources, Conservation and Recycling, Volume 105, Part A, December 2015, Pages 186-197. https://doi.org/10.1016/j.resconrec.2015.10.026

RBNZ (2020) – Reserve Bank of New Zealand. Inflation calculator. https://www.rbnz.govt.nz/monetary-policy/inflation-calculator

Carpoolworld.com (2020) - Commuting mode analysis Wellington NZ. https://www.carpoolworld.com

Liu, H. Novel approach on reduction in GHG emissions from sludge lime stabilization as an emergent and regional treatment in China. Sci Rep 8, 16564 (2018). https://doi.org/10.1038/s41598-018-35052-9

IPCC (2019) – Intergovernmental Panel on Climate Change. 2019. 2019 Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories. Chapter 6: Wastewater Treatment and Discharge.



7.0 Glossary

Carbon Dioxide Equivalent (CO₂e)

A standard unit for measuring carbon footprints. The impact of each different GHG is expressed in terms of the global warming potential (GWP) of one unit of CO₂. Standard ratios are used to convert gases into equivalent amounts of CO₂; these are based on each gas's GWP.

Carbon Footprint

A measure of the amount of GHGs emitted by an organisation. Typically expressed in terms of CO_2e , and for a 12-month reporting period.

Emission Factor

A metric that converts a specific emission source - such as a litre of diesel - into terms of CO_2 or CO_2e .

Global Warming Potential

A measure of a gas's ability to cause radiative forcing in the atmosphere (or global warming) relative to the ability of CO_2 . For example, sulphur hexafluoride has 23,900 times the GWP of CO_2 , thus is 23,900 times more potent at contributing to global warming than CO_2 .

Greenhouse Gas

Greenhouse gases are gases that influence the way in which the Earth's atmosphere traps heat. Increasing levels of GHGs in the atmosphere are causing the phenomenon of climate change.

Greenhouse Gas Protocol This Standard provides guidance for companies preparing a GHG emissions inventory. It defines three Scopes (or operational boundaries) for accounting and reporting purposes (explained below).

Scope 1 Emissions

Direct greenhouse gas emissions that occur from sources owned or controlled by KDC, such as emissions from the combustion of diesel in the vehicle fleet.

Scope 2 Emissions

Emissions associated with the purchase of electricity that is consumed by KDC.

Scope 3 Emissions

An optional reporting category that covers all other indirect emissions. These emissions are a consequence of KDC's activities but occur from sources it does not own or control. Examples include the embodied carbon in materials, and business travel.



Appendix A: Data quality

Data Quality

The table below describes the data quality indicators used in the above sections. Explanations of these terms are provided below.

Data management	Data collection		
	Measured	Derived	Estimated
Robust	M1	D1	E1
Satisfactory	M2	D2	E2
Questionable	M3	D3	E3

Measured = Data directly provided by a service provider, contractor or directly obtained from a monitoring device. For example, electricity invoices, contractor receipts, emissions monitoring equipment, incident reports, consultant reports etc.

Derived = Data obtained from calculations, mass balances, use of physical/chemical properties, use of coefficients and emission factors etc., for example converting cubic meters of waste into tonnes.

Estimated = Usually, where there is no other available method for obtaining the data. Such data could be prorated on previous results, use of precedents or historical data, or even a calculated guess.

Robust = Evidence of sound, mature and correct reporting system, where room for error is negligible.

Examples would include use of spreadsheets, databases, and on-line reporting.

Satisfactory = Examples would include manual, but structured keeping of records, files, and results.

Some potential for error or loss of data.

Questionable = No logical or structured approach to data or record keeping. High potential for error &/or loss of data. Data may appear to differ from those initially reported.

