Applicant Right of Reply - Recommended Precinct Provisions

PREC1 AWAKINO PRECINCT

Description of Awakino Precinct

The Awakino Precinct enables medium density residential development for a range of allotment sizes where ecological enhancement, open space and connectivity corridors are achieved. The Awakino Precinct integrates with the Residential Zone to provide for a variety of residential intensities that promote housing and living choices whilst recognising the natural features and characteristics of the area. The Residential Zone provides for traditional suburban densities and housing forms which is currently characterised by one to two storey detached residential units on larger properties setback from boundaries with landscape gardens.

Objectives					
PREC1-O1	Awakino Precinct Density				
3 11	rtunities and housing choice are enabled in the Awakino Precinct whilst sitivity, stormwater, transport, and character and amenity effects are				

Policie	25					
PREC1	-P1	Awakino Precinct Subdivision				
Awaki	no Precinct prov	ides for a range of site sizes and densities, and subdivision layout where:				
1. A	-	ment sizes is provided that have the ability to accommodate different				
2. T	here is sufficient	t infrastructure to accommodate the development.				
а	djoining sites are	is sympathetic to the surrounding environment and adverse effects on e managed, including reverse sensitivity effects.				
 4. Good design of subdivision is achieved by the following: a. Urban blocks that respond to topography, solar orientation, prevailing winds and ar flexible to deliver a range of typologies. 						
 b. Lots that are generally shaped, sized and orientated to achieve positive sunlight acconsite amenity, privacy and outlook, with particular regard to east – west orientatic c. Well-connected, safe and legible, transportation and open space networks, includin 						
	walking and	cycling corridors.				
		of rear lots is minimised, except where there is no practicable alternative. vith adjacent sites to enable future development opportunities.				
PREC1	-P2	Awakino Precinct Residential Amenity				
To ma	nage adverse eff	fects on residential amenity and character by requiring residential activities				
to hav	to have regard to the way the development, provides street activation and active interfaces to					
open s	open space networks through:					
. 1	. Visual and	d physical connection between principal pedestrian access and the street.				
 Visual connection from windows overlooking the street to create passive surveillance. 						
3	. Landscap	ing and fencing treatments.				

PPC82 Moonlight Heights – Right of Reply Recommended Provisions – 11 September 2023

4.	-	o neighbouring properties by employing setbacks, sensitive building			
_		on and design, and landscaping to mitigate dominance and privacy impacts.			
5.	Safe and active interface to open space networks and road corridors onto which it				
	fronts.				
6.	-	recognise the amenity and character of the street and other buildings in			
	the vicinit	y, having regard to building bulk, scale and mass.			
PREC1-P3		Awakino Precinct Connectivity			
Require land	d use and s	ubdivision to achieve a connected, legible and safe, open space, pedestrian			
and transpo	rt network	s in the Awakino Precinct by:			
	-	onnected street network, that avoids no exit roads and cul-de-sacs, except practicable alternative.			
		ually distinct, high amenity road (the Green Amenity Street Road) providing			
	-	nin the precinct that accommodates cycle and pedestrian infrastructure			
		hicle access.			
		ng and cycling networks along streets and open space.			
PREC1-P4		Awakino Precinct Ecological Values			
within the A 1. Methor and inc	wakino Pre d of enhan ligenous ve	e values of-natural wetland features, rivers, and indigenous vegetation ecinct when undertaking land use and subdivision, with particular regard to: cement and permanent protection of the natural wetland features, rivers, egetation; and ack of residential activities.			
PREC1-P5		Awakino Precinct Open Space			
Require sub of residents		thin the Awakino Precinct to provide for the recreation and amenity needs			
	•	paces which are prominent, accessible and are of a quality and size in			
		future density of the neighbourhood.			
• •		estrian and cycle linkages.			
open spaces where they can contribute to recreation networks.					
 Encouraging the incorporation of indigenous vegetation, wetlands and rivers and their margins into open space and recretation networks. 					
PREC-P6		i space and recretation networks.			
FILEC-FO		Awaking Precipct Stormwater Management			
		Awakino Precinct Stormwater Management			
Ensure that	stormwate	er is managed and treated to:			
Ensure that 1. Mainta	stormwate in and enh				

Amendments to Chapter 13 – 13.10 Performance Standards Residential Land Use

Amended Ru					
Rule	Parameter	Residential Permitted Activity Performance Standard	Activity Status if the Activity does not meet the Performance Standard	Assessment Criteria	
13.10.3a	Dwellings	 (1) Construction of a <i>dwelling</i> is a <i>Permitted Activity</i> if: a) After completion, it will be the only dwelling on the <i>site</i>: or b) It will be an additional dwelling is: 600m² for a <i>serviced site</i> not in an Overlay Area; or 1,000m² for a serviced site in an Overlay Area; or 3,000m² for an un-serviced site. c) There is a separation distance of at least 3m from any other detached dwelling; and d) There is a separation distance of at least 6m where there is a private open space area located between two residential dwellings. Note 1: The <i>dermolition</i> and/or removal of a dwelling is a Permitted Activity except where the provisions of Chapter 17: Historic Heritage apply. Note 2: Each dwelling is also required to be assessed against the relevant performance Standards contained in the Plan, including within Sections 13.10 and 13.13. Note 3: For dwellings within an Outstanding Natural Landscape, Rule 13.10.3c shall also apply. Note 4: There is an exemption for Rule 13.10.3 that applies to part of Lot 2 DP 73030 Cynthia Place (Baylys Beach). See Rule 13.10.29(4). (2) Any dwelling located within a site, within the Awakino Precinct that has a road boundary shall provide: a) The primary pedestrian access oriented toward a road, and b) Where any lot shares a boundary with Awakino Road primary pedestrian access shall be oriented toward Maximo Road. c) At least one habitable room with at least one clear-glazed window, at least 1m² in size which is oriented toward the road. 	Restricted Discretionary / Discretionary Activity	 Where an activity is not permitted b a dwelling is a Restricted Discretiona a. It will be located in the Awakin b. It will be an additional dwelling additional dwelling is 450m² fr c. There is a separation distance between two residential dwell Council has restricted its discretion application for Resource Consent: i) The privacy, outlook and amee ii) Sufficient sunlight access to tf iii) Building mass, orientation and iv) Bulk and scale effects; v) Effects on any natural feature vegetation; vi) The extent to which the activit Awakino Precinct; and vii) The ability to accommodate in parking (if it is to be provided) Where an activity is not permitted by considering an application for Resource ii) Size and shape of the <i>site</i>; iii) Extent of visual intrusion of the I places including the <i>Coastal Ma</i> iv) The extent to which proposed screening from adjoining public Design Guidelines; v) Effects on the locality, particular vi) If located within an Overlay, the Overlays (Chapter 4) are present those values; vii) Effects on safety and efficiency <i>private ways</i>; x) The extent to which the proposal in Map Series 2; ix) Effects on safety and efficiency <i>private ways</i>; x) The extent to which the activity 	

by this Rule and is located in the Awakino Precinct, the construction of ary Activity if:

ino Precinct; and

ng on the site, and the minimum net site area associated with each for a serviced site.

ce of at least 3m from any other detached dwelling; and

ce of at least 6m where there is a private open space area located illings.

over the following matters when considering and determining an

enity of adjacent and adjoining sites;

the outdoor living space;

nd passive surveillance of the road/street.

es with respect to natural wetlands, water courses, and indigenous

vity is consistent with the purpose, character and amenity values of the

incidental activities anticipated within the Awakino Precinct such as d), manoeuvring, waste collection and landscaping.

y this Rule, *Council* will have regard to the following matters when urce Consent:

ernatives considered;

building from beyond the site, particularly from the *road* and public *larine Area*, and the *effects* on skylines and ridgelines;

landscaping is consistent with the character of the area, provides places and *dwellings* and is in accordance with any Council adopted

arly residential character and *amenity values*;

e extent to which the values identified in the Objectives and Policies for ent on the site, and the extent to which the proposal is compatible with

age;

al will affect the values of any Outstanding Natural Landscape identified

cy of vehicles and pedestrians using the site and affected roads and

will affect any heritage values identified in Appendix 17.1 and 17.2 of

			the Plan.
			Note 1: A description of the landscape with Outstanding Natural Landscapes (2010).
13.10.7 Setbacks	 (1) Residential Zone Any building is a Permitted Activity if it is located outside the following setback distances (yards): a) Front yard - 5m; b) Side yards - one of 1.5m and one of 3m (Residential Zone), two of 3m in Overlay Areas; c) Rear yards - 3m except on rear sites where one yard of 1.5m may be provided; d) Coast - 30m from the Coastal Marine Area; and e) Lake / River - 30m from the banks of; any dune take; any other take whose bed has an average width of 3m or more; any river including a perennial stream whose bed has an average width of 3m or more; f) Any building is setback 30m from a railway line where there is an intersection of road and rail (level crossing controlled by giveway signage) within 300m; and g) Any building is setback 30m from the intersection of the State Highway and any local road (measured from the centreline of the local road). Provided that an accessory building may be erected in any side or rear yard where: a) Vehicle access is retained to the rear of the site; and b) It is located at least 3m from any habitable room on an adjoining site; and c) It does not exceed 10m in length or 25% of the length of the side or rear yard, whichever is less. In addition to the above Performance Standards (2) Mangawhai Harbour and Kai iwi Lakes Overlays Any building is a Permitted Activity if it is located outside the following setback distances (yards): a) River - 6m from the banks of any river with an average bed width of between 1 to 3m. Note: For clarification, if the average bed width is less than 1m this rule does not apply and if the average is greater than 3m the Rule 13.10.7(1)(e) above applies. (3) Awakino Precinct Any building is a Permitted Activity if it is located outside the following setback distances (yards): a) Front yard - 3m; b) Side yards - 1.5m; c) Rear yards	Restricted Discretionary Activity	 Where an activity is not permitted by matters when considering and determiner i) The outlook and privacy of adjace ii) Extent of visual intrusion and dom <i>road</i> and public places including iii) If in the Mangawhai <i>Structure Plan</i> design principles of the Mangawh iv) Effects on the locality, particularly v) If located within an Overlay, the ex Overlays (Chapter 4) are present those values; vi) The extent to which the proposal w in Map Series 2 and if applicable additional assessment criteria cor vii) Effects on ecological values and ir criteria listed in Appendix 25G; viii) Effects on public access; ix) Effects on public access; ix) Effects on ft to the Conservation, <i>esplanade reserves</i> or <i>strips</i>; xi) Where buildings are located in clos the extent to which consultation h Railways Corporation respectively xii) The functional requirements of the Note 1: A description of the landscapes a (2010).

PPC82 Moonlight Heights - Right of Reply Recommended Provisions -

apes and features is provided in Appendix 18A.The values associated es are described in the Kaipara District Landscape Technical Report

by this Rule, *Council* has restricted its discretion over the following mining an application for Resource Consent:

acent and adjoining neighbours;

ominance of any *buildings* from beyond the *site*, particularly from the ng the *Coastal Marine Area*, and the *effect* on skylines and ridgelines;

Plan Area, whether the proposed landscaping is in accordance with the whai Structure Plan (pages 46 - 49) for Policy Area Three;

arly residential and natural character and *amenity values*;

extent to which the values identified in the Objectives and Policies for ent on the site, and the extent to which the proposal is compatible with

I will affect the values of any Outstanding Natural Landscape identified ole the extent to which the subdivision, use or development meets the contained in Appendix 18B;

d in particular any *sites of ecological significance* as defined by the

luding the design and construction of hazard protection works on land Area, *rivers* and *lakes*;

n, ecological, recreation, access and hazard mitigation values of

lose proximity to State Highways or Rail (level crossings) whether and n has been undertaken with NZ Transport Agency and New Zealand vely and written approval obtained; and

the building and activity.

ape features is provided in Appendix 18A. The values associated with as are described in the Kaipara District Landscape Technical Report

	1		1	I
		position where the centreline of the road joins the State Highway. Note 3 : Any changes in land use on sites that have access onto Limited Access Road's require approval from the NZ Transport Agency under the Government Roading Powers Act 1989.		
13.10.7a	Fence and Landscaping	 (1) Awakino Precinct a) Any fence is a <i>permitted activity</i> where: i. The fence is adjacent to any road boundary and has a maximum height of 1.2m; or ii. The fence is adjacent to any neighbourhood park or wetland enhancement area and has a maximum height of 1.5m and is 50% visually permeable. b) Any <i>building</i> or <i>dwelling</i> is a permitted activity where: i. The site is adjacent to the Green Amenity Street identified on the Awkaino Precinct Plan and 60% of the site frontage shall be vegetated to a minimum depth of 0.5m and a maximum height of 1.2m. c) Any residential activity within a site that has a legal boundary with Designation 34 is a <i>permitted activity</i> where an area of planting is provided along the entire length of the Designation 34 legal boundary which is: i. 2m wide; and ii. Capable of achieving a minimum establishment height of 1.8m; and iii. At a density that will achieve canopy closure within 3-5 years. 	Restricted Discretionary Activity	 Where an activity is not permitted b matters when considering and determ i. The extent to which the fend wider Green Amenity Street. ii. The extent to which privacy passive surveillance of public iii. The extent to which shading are minimised. iv. Health and safety effects. v. The extent to which activitie within the residential site.
13.10.8	Separation Distance for Noise Sensitive Activities	Any <i>Noise Sensitive Activity</i> (as defined in Chapter 24: Definitions) is permitted if: (1) A 300m separation distance is maintained between the noise sensitive activity and activities listed as follows, on a site under separate ownership: a) <i>Building</i> or enclosure intended for housing livestock; b) Wastewater treatment site or other site of plant or animal effluent storage or disposal (excluding domestic disposal systems and land effluent application); c) Building used for an industrial or commercial activity; d) Intensive feed lot or feed storage area; e) <i>Intensive farming</i> ; f) Dairying shed; g) Mining or <i>quarrying</i> ; and h) Any other activity that has <i>existing use rights</i> or Resource Consent to exceed the General Noise, Use of Explosives and Blasting Standards, or a Discharge Consent relating to odour from the Northland Regional Council; and (2) The activity is setback outside the Noise Contour Boundary surrounding the Maungaturoto Dairy Factory site as shown on Planning Maps 20 and 50 (Map Series 2), except that this Rule 13.10.8(2) shall not apply to Lots 1, 2 and 3 DP 88949 (Doctors Hill Road). Note 1: This Rule is intended to protect existing, lawfully established activities in adjoining Zones. If a noise sensitive activity develops then it would be required to maintain the appropriate separation distance to avoid future land use conflicts. Note 2: Maungaturoto Dairy Factory sexisting use rights for its current operations on its site. Development locating within this Zone will therefore be subject to this Rule in relation to the Maungaturoto Dairy Factory is existing operations. Note 3: For the purposes of this Rule, the term 'noise sensitive activities' is used to describe the types of activities that may be alfected by sensitivity issues.	Activity	 Where an activity is not permitted by the matters when considering and determines. i. The extent to which alternative future reverse sensitivity conflines. <i>Effects</i> on health and safety of iii. Any consultation with relevant iv. How the activity contributes to and13; v. The extent to which the intern hours while at the same time of G4 of the New Zealand Building vi. The extent to which the proposidentified in Map Series 2 and meets the additional assessmes. And In the case of any Noise Sensitive Dairy Factory, the following additional avii. The potential reverse sensitivity any resource consent applications, in resource consent applications, in resource and near the landscape Outstanding Natural Landscapes are discussional activity is not possible and the landscape of the landscape is the landscape of the landscape of the landscape is the landscape of the landscape

by this Rule, *Council* has restricted its discretion over the following rmining an application for Resource Consent:

encing and landscaping visually connects the private front yards to the et.

acy is provided for residential units, while enabling opportunities for blic places.

ng and visual dominance effects to immediate neighbours and the street

ities within Designation 34 are obscured from any residential activity

this Rule, Council has restricted its discretion over the following nining an application for Resource Consent:

ive locations have been considered; Mechanisms in place to avoid nflicts (including covenants on titles) or other physical mitigation works; / of communities;

int property owners or occupiers;

to the Objectives and Outcomes of the Plan, particularly Chapters 2

rnal noise level in any **habitable room** does not exceed 35dB LAeq 24 e providing ventilation requirements (for example, as required by clause ding Code 2010); and

posal will affect the values of any Outstanding Natural Landscape nd if applicable the extent to which the subdivision, use or development sment criteria contained in Appendix 18B.

ve Activity within the Noise Contour Boundary of the Maungaturoto al assessment criterion will apply:

ivity effects on the operation of the Maungaturoto Dairy Factory;

aturoto Dairy Factory will be considered an affected party in relation to n respect of Rule 13.10.8(2).

be features is provided in Appendix 18A. The values associated with the elsevent described in the Kaipara District Landscape Technical Report (2010).

		-		
		Note 4: For clarity, any Noise Sensitive Activity within the Noise Contour Boundary of the Maungaturoto Dairy Factory site will require Resource Consent.		
		(3) Except the following is a permitted activity and is excluded from the Standards of 13.10.8:		
		(a) Any noise sensitive activity within 300m of the cadastral boundaries of Lot 1 DP 341981 being the site at the corner of Molesworth Drive, Estuary Drive and Norfolk Drive at Mangawhai.		
		(b) Any noise sensitive activity within the Awakino Precinct is permitted where it complies with 13.10.8A.		
		Note 5: Any activity that requires consent in accordance with rule 13.10.8A shall be assessed under 13.10.8A only.		
13.10.8A	Noise Sensitive Activities in Awakino	Any Noise Sensitive Activity is permitted if: Image: a. Designation D34 Dargaville Landfill has been removed from the plan; or Image: black set of the plan; or	Restricted Discretionary	Where an activity is restricted discret following matters when considering a
	Precinct	 A noise barrier has been established in accordance with rule 13.13A.26 and the noise sensitive activity is located outside of Noise Area A as identified on the Awakino Noise Plan; or 		i. The effects on people's health a and effects from future levels of
		 No noise barrier has been established in accordance with rule 13.13A.26 8 and the noise sensitive activity is outside of Noise Areas B and C as identified on the Awakino 		Whether or not the noise sensiti the rules.
		 Any Noise Sensitive Activity is a restricted discretionary activity where: 		iii. The extent to which non-complia operation of the Dargaville Land
				iv. Any natural or built features of the
		a. A noise barrier has been established in accordance with rule 13.13A.26 and the noise sensitive activity is located in Noise Area A as identified on the Awakino Noise Plan; or		v. Mechanisms in place to avoid fu other physical mitigation works.
		b. No noise barrier has been established in accordance with rule 13.13A.26 and the noise sensitive activity is in Noise Area B as identified on the Awakino Noise Plan.		vi. The extent to which the interna levels in NZS2107:2016
		 Any Noise Sensitive Activity is a non-complying activity where no noise barrier has been established in accordance with rule 13.13A.8 and the noise sensitive activity is in Noise Area C as identified on the Awakino Noise Plan. 		vii. Whether suitable cooling and v internal temperature of habitable
		 Information Requirement, every application under rules 13.10.8A(2) shall be supported by an acoustic report prepared by a suitably qualified acoustic engineer which recommends appropriate mitigation measures including but not limited to: 		
		a. Façade attenuation measures proposed to achieve an appropriate level of internal noise within habitable rooms. The report shall use NZS2107:2016 unless an alternative criteria is justified.		
		b. Attenuation measures to limit the level of noise within outdoor living areas.		
		c. Cooling and ventilation methods to ensure that internal temperature of habitable rooms will be maintained with windows and doors closed.		

etionary under-this Rule, Council has restricted its discretion over the and determining an application for Resource Consent:

n and internal residential amenity, including effects on future residents of noise anticipated when the application is being assessed.

sitive activity could be designed or located to achieve compliance with

pliance with the rules could unduly compromise the continuing ndfill.

f the site or surrounding area which will mitigate noise effects.

future reverse sensitivity conflicts (including covenants on titles) or s.

nal noise level in any habitable room will exceed the relevant noise

l ventilation solutions are to be provided that will ensure that the ble rooms can be maintained with windows and doors closed .

40.40.44			D 1111	
13.10.11	Private Open Space	(1) Residential Zone	Restricted Discretionary Activity	Where an activity is not permitted by matters when considering and determine
		 A <i>dwelling</i> is a <i>Permitted Activity</i> if the private open space meets the following: a) Is equivalent to 50% of the <i>gross floor area</i> of the dwelling; 		i) The on-site privacy and amenity of
		b) Is of a usable shape of no less than 3m dimension, capable of accommodating one circle of		ii) The open space nature of the sur
		no less than 5m in diameter;		iii) The extent to which the proposal
		c) Is located on the east, north or west side of the dwelling;		in Map Series 2 and if applicable additional assessment criteria co
		d) Has direct access from the main living area of the dwelling;		Note 1: A description of the landscap
		e) Is unobstructed by vehicle access or <i>parking areas</i> ; and		the Outstanding Natural Landscapes
		 f) Is adequately screened from adjoining dwellings and adjacent <i>sites</i>, except in the case of reserves. 		(2010).
		(2) Awakino Precinct		
		A <i>dwelling</i> is a <i>Permitted Activity</i> if private open space is provided and meets the following:		
		a) Is at least 20m ² or equivalent to 25% of the <i>gross floor area</i> of the dwelling;		
		b) Has a minimum dimension of 4m;		
		c) Is located on the east, north or west side of the dwelling;		
		d) Has direct access from the main living area of the dwelling; and		
		e) Is exclusive of vehicle access, parking areas and buildings.		
13.10.12	Permeable Surfaces	(1) Residential Zone	Restricted	Where an activity is not permitted by
		Any activity is a Permitted Activity if:	Discretionary Activity	matters when considering and determi
		a) The area of any <i>site</i> covered by <i>buildings</i> and other <i>impermeable surfaces</i> is less than 40% of the <i>net site area</i> .		i) Control of stormwater run-off;
				ii) The effects of increased stormwa
		(2) Awakino Precinct		III) Methods of attenuating stormwate
		Any activity is a <i>Permitted Activity</i> if:a) The area of any site covered by buildings and other impermeable surfaces is less than 60% of the		iv) Whether and the extent to which the District Council Engineering Stand
		net site area; and		v) Effects on `water quality; and
		b) All stormwater management for the site shall comply with any stormwater management plan approved under performance standard 13.14.5 Stormwater Disposal.		vi) The extent to which low impact de
		Note 1 : For the purposes of this Rule, any area regularly used by vehicles whether metalled,		 Vi) Within the Awakino Precinct, whe stormwater management devices any obligations for lot owners to c
		sealed or concreted shall be considered an impermeable surface.		vi) Within the Awakino Precinct, the
				protect the environment from cont includes appropriate stormwater of as well as the consent holder's ma
				(3) Awakino Precinct Information R
				Any application shall be supported qualitied engineer to confirm that
				 Treatment of the Water Quality generating impermeable surf
				ii) Retention (volume reduction)
				iii) Detention (temporary storage) pre-development (grassed sta ARI, 24-hour rainfall event mir
				iv) Conveyance and discharge of Council Engineering Standard
		Pight of Ponly Posommondod Provisions		Note 1: Within the Awakino Precinct, 1

by this Rule, *Council* has restricted its discretion over the following mining an application for Resource Consent:

ty of the occupants;

surrounding neighbourhood; and

al will affect the values of any Outstanding Natural Landscape identified ble the extent to which the subdivision, use or development meets the contained in Appendix 18B.

ape features is provided in Appendix 18A. The values associated with es are described in the Kaipara District Landscape Technical Report

by this Rule, *Council* has restricted its discretion over the following mining an application for Resource Consent:

water flows downstream;

ater flows to pre-development rates,

h the activity meets the relevant Performance Standards or the Kaipara andards 2011;

design principles are utilised.

hether the proposal utilises low impact and/or water sensitive es and designs, outfalls that mitigate concentrated flows and detail of o construct and maintain such devices.

e extent to which stormwater quality treatment has been provided to ontaminants generated from the activity including whether the proposal er quality monitoring associated with the design and construction stages maintenance obligations.

Requirement:

ted by a detailed stormwater assessment report prepared by a suitably at the proposal will achieve the following:

lity Volume (WQV) or Water Quality Flow (WQF) from all **contaminant urfaces** by a water quality device for the relevant contaminants.

n) of a minimum of 5mm runoff depth for all **impermeable surfaces**.

ye) with a drain down period of 24 hours for the difference between the state) and post-development runoff volumes from the 1/3 of the 2 Year ninus any retention volume provided for all **impermeable surfaces**.

of primary and secondary flow in accordance with the Kaipara District ards 2011.

, 1/3 of the 2 Year ARI rainfall event runoff volume is to be used as the

				Water Quality Volume (WQV) when d Water Quality Flow (WQF).
				Note 2: Within the Awakino Precinct, g to those set out in the guideline docum <i>(GD01).</i>
13.10.13	Building Coverage	(1) Residential Zone	Restricted	Where an activity is not permitted by
		Any activity is a <i>Permitted Activity</i> if:	Discretionary Activity	matters when considering and determ
		a) Building coverage on a site is less than 35% of the net site area .		i) The scale and bulk of the <i>buildir</i>
		(2) Awakino Precinct		ii) The existing built character of the
		Any activity is a Permitted Activity if:		iii) <i>Effect</i> on the open space nature
		a) Building coverage on a site is less than 45% of the net site area.		iv) The availability of useable on-sit
		Note 1: For clarity, for sites within an Outstanding Natural Landscape, Rule 13.10.3c shall also apply		v) The extent to which the proposal in Map Series 2 and if applicable additional assessment criteria co
				Note 1: A description of the landscap the Outstanding Natural Landscapes (2010).

designing a treatment device, and 10mm/hour is to be used as the

t, good management practice for stormwater management is equivalent ument, Stormwater *Management Devices in the Auckland Region*

by this Rule, *Council* has restricted its discretion over the following ermining an application for Resource Consent:

- *ding* in relation to the *site;*
- the surrounding neighbourhood;
- ure of the surrounding neighbourhood;
- -site outdoor living space; and

sal will affect the values of any Outstanding Natural Landscape identified able the extent to which the subdivision, use or development meets the contained in Appendix 18B.

cape features is provided in Appendix 18A. The values associated with bes are described in the Kaipara District Landscape Technical Report

13.10.25	Vehicle Access and	(1) Residential Zone	Restricted	Where an activity is not permitted by
	Driveways	Any activity is permitted if:	Discretionary Activity	matters when considering and determine
		 a) The owner or occupier of each <i>site</i> shall provide and maintain at all times adequate access for emergency vehicles and vehicles generally associated with activities on site; 		Whether and the extent to which to Standards in Rule 13.10.25 or
		b) For new vehicle <i>crossings</i> on to State Highways, all NZ Transport Agency engineering requirements have been satisfied; or for vehicle crossings on to <i>roads</i> controlled by the Kaipara District Council, all Council engineering requirements have been satisfied (e.g. Kaipara District Council Engineering Standards 2011);		 ii) The provision of safe, practication the <i>site</i>, including pedestrian iii) The sum set of a big background in the set of a big background in the
		 c) Where a loading ramp is required it shall not be located within 25m of the edge of a traffic lane; and 		iii) The expected vehicle operating siv) The ease of access to and from, a
		d) Each site shall be provided with and maintain a <i>driveway</i> to the following Standard:		v) Adequacy of sight distances at th
		 i) Formed with an all-weather surface; 		vi) Possible measures or restrictions
		 For driveways of greater than 100m, a passing bay shall be provided no further apart than 1 per 100m; 		vii) Possible adverse effects on Cou
		 iii) For an accessway or driveway servicing up to 6 dwellings the minimum width of 3.0m and for between 7 and 30 dwellings a minimum width of 5.5m and for more 		viii) The provision made to mitigate th on waterways, ecosystems, drain
		than 30 dwellings a width of 6m;		ix) Any traffic safety or congestion p
		iv) The maximum gradient shall be 1:5 for sealed and 1:8 for gravel driveway;		x) Any foreseeable future changes i
		 v) Shall include internal manoeuvring area sufficient that vehicles using the driveway do not need to reverse onto a road or shared driveway (in accordance with 90th percentile vehicle manoeuvring figures in Appendix 25C: Parking, Loading and Manoeuvring Standard); 		xi) If a new access is being provided sites that have access over a rai Zealand Railways Corporation is
		 vi) Access and manoeuvring areas shall comply with the New Zealand Building Code acceptable solutions C/AS1 Part 8.1 (Fire Service Vehicular Access 2010); 		xii) Whether and the extent to which the of the NZ Building Code accepta
		 Where a private driveway is gated, the gates shall be located at least 13m from the edge of the public road carriageway (with an 80 or 100km/h speed limit) where the gate opens into the site or 13m plus the gate width where it opens towards the road; unless onto a State Highway (where gate setbacks may be higher and are required to be complied with); 		 xiii) The extent to which the proposal in Map Series 2 and if applicable additional assessment criteria co Note 1: A description of the landscap the Outstanding Natural Landscapes
		 viii) All gated accesses shall be provided with turning provisions, such that a 90th percentile car may enter the driveway and turn around, without passing the gates or affecting through traffic on the public road; 		(2010).
		 Stormwater drainage for at least a 10% AEP rainfall event sufficient that surface ponding does not occur and discharge from the driveway does not result in <i>adverse</i> <i>effects</i> to adjoining properties or roads; and 		
		e) The site is not within an Outstanding Natural Landscape, as identified in Map Series 2, unless the work is necessary for the maintenance of existing accesses or firebreaks.		
		(2) Awakino Precinct		
		Any activity is permitted if:		
		a. If it meets the standards in 13.10.25.1 (a) and (c);		
		b. New vehicle crossings on to roads controlled by the Kaipara District Council shall be designed, constructed and located in accordance with the Kaipara District Council Engineering Standards 2011, except as it relates to 5.2.18.2d and 5.2.18.2e, the following shall be met:		
		 No vehicle crossing shall be situated within 10m of any road intersection (as measured from the meeting point of the main kerb alignments). 		
		ii. The minimum spacing between vehicle crossings on the same side of any road shall be 2m.		
		iii. No more than one vehicle crossing is provided to each lot, except where a vehicle crossing is a double width crossing and serves more than one site, in which case the vehicle crossing width shall be a maximum of 7m.		
		c. Each site shall be provided with and maintain a driveway to the following Standard:		

PPC82 Moonlight Heights - Right of Reply Recommended Provisions -

by this Rule, *Council* has restricted its discretion over the following mining an application for Resource Consent:

n the vehicle access and *driveway* meets the Performance or the *Kaipara District Council Engineering Standards* 2011;

ical access for all persons and vehicles likely to need access to an, cycle, disabled, vehicular;

speeds and methods of controlling vehicle speeds;

, and within the **site**;

the vehicle crossing and along the access;

ns on vehicle movements in and out of the access;

ouncil infrastructure or adjoining properties;

the effects of stormwater runoff, and any impact of roading and access ainage patterns or the amenities on adjoining properties;

problems in the area;

s in traffic patterns in the area;

ed or modification of an existing access onto a State Highway, or on railway line, whether the consent of the NZ Transport Agency or New is obtained;

the design of vehicle accesses and driveways meets the requirements table solutions C/AS1 Part 8.1 (Fire Service Vehicular Access); and

al will affect the values of any Outstanding Natural Landscape identified ole the extent to which the subdivision, use or development meets the contained in Appendix 18B.

pe features is provided in Appendix 18A. The values associated with s are described in the Kaipara District Landscape Technical Report

	i. Formed with a sealed all-weather surface.
	ii. Shall provide accessway or driveways with minimum widths in accordance with Table 13.1.
	 Shall include internal manoeuvring area sufficient that vehicles using the driveway do not need to reverse onto a road or shared where the access is located within 10m of an intersection road boundary or where the access is off the Primary Loop Road.
	iv. Shall serve no more than four parking spaces, should vehicles be required to reverse from a site;
	Note 1: Any changes in land use on sites that have access over a railway line require approval from the New Zealand railways Corporation under the New Zealand Railways Corporation Act 1981.
	Note 2: Where land adjoins a limited access road under the Government Roading Powers Act 1989 access to and from that road is subject to restrictions and controlled by the NZ Transport Agency.
	Note 3: Council will confirm engineering approval for Council controlled roads, as per clause 13.10.25.1 (b) above, of the vehicle access and driveways by compliance with the Kaipara District Council Engineering Standards 2011 or by review from an independent appropriately qualified engineer.

			1	
13.10.27	Parking	Any activity is permitted if:	Restricted Discretionary Activity	Where an activity is not permitted by matters when considering and determi
		a) The owner or occupier of each <i>site</i> provides and maintains at all times spaces for the off street parking of cars and other vehicles generally associated with activities on the site;	Discretionary Activity	i) The nature of street or service lar
		b) The number of parking spaces to be provided shall meet the minimum requirements outlined in Appendix 25C: Parking, Loading and Manoeuvring Standards; and		 ii) The provision which can be made adjacent <i>site</i>;
		c) Each parking space shall be formed and maintained so that the maximum gradient on any area used for parking and manoeuvring shall be 6%; and		iii) The adequacy of public parking a
		d) Parking spaces may be situated within a <i>building</i> provided the <i>Council</i> is satisfied that the		iv) The nature of any special landsc
		spaces can be clearly defined and made available for parking at all times. The area of any parking spaces and associated access within a building shall be excluded from the gross <i>floor area</i> of that building for the purposes of assessing the total number of spaces required;		v) The hours of operation of the prop <i>activity</i> is proposed in a Residen
		and		vi) The size and number of vehicles
		e) Any parking spaces required under the provisions of the District Plan are to be sited at least 15m from the banks of any <i>river</i> or stream, whose <i>bed</i> has an average width of 3m or more, any <i>lake</i> with an area greater than 8ha or the <i>Coastal Marine Area</i> or any mapped waterway or <i>wetland</i> in the Valued Natural Environments of Mangawhai, except where appropriate		vii) Whether and the extent to which t drained in accordance with the P <i>Council Engineering Standards</i>
		provision is made for the collection treatment and disposal of stormwater from the areas to a Council stormwater system or other approved outlet; and		viii) The extent to which the proposal in Map Series 2 and if applicable
		f) Each parking space shall have adequate physical access to a road, street or service lane and the buildings or uses to which it is intended to serve. It shall be provided with such access drives and aisles as are necessary for safe and convenient movement of vehicles to and from the street or service lane for the manoeuvring of vehicles within the <i>site</i> in accordance with the Figures in Appendix 25C: Parking, Loading and Manoeuvring; and		 additional assessment criteria co In granting any application the Council i) The parking and/or loading space neighbourhood; or
	 g) Control of Access - Any parking area associated with a Commercial or Industrial Activity which adjoins a street shall be provided with a fence, kerb, nib or similar non-mountable barrier not less than 0.15m high along those parts of the site's frontage not used for access purposes. The barrier shall be designed to prevent vehicles entering or leaving the parking area other than by the access drives or aisles provided; and h) Control of Reversing - All parking areas shall be designed so that all vehicles can enter and leave the site in a forward gear and do not have to reverse onto or off the adjacent road or street, except as provided in the Awakino Precinct by 13.10.25.2; and 		 ii) A cash contribution is paid to the parking and/or loading facilities. Note 1: Any cash contribution required site or building to accommodate the 	
		leave the site in a forward gear and do not have to reverse onto or off the adjacent road or		their construction. Note 2: A description of the landscape the Outstanding Natural Landscapes
		 Screening of Parking Areas - Any parking associated with a Commercial or Industrial activity shall be screened from residential <i>sites</i> by appropriate landscaping, fencing or other suitable screening of at least 1.8m in <i>height</i>. Any landscaping is to be provided and maintained in such a manner as to create and preserve a good standard of visual amenity; and 		(2010).
		j) Control of Stormwater - Each parking area shall be provided with a stormwater drainage system that is designed for at least a 10% AEP rainfall event sufficient that surface ponding does not occur and discharge does not result in adverse <i>effects</i> to adjoining properties or roads.		

by this Rule, *Council* has restricted its discretion over the following mining an application for Resource Consent:

lane access available to the proposed parking and/or loading facilities;

de for parking and/or loading facilities for the proposed land use on an

g and/or loading facilities in the immediate vicinity of the site;

scaping or pedestrian design features to be developed on the site;

roposed use and number of employees on shift work if a **Commercial** lential Zone;

es expected to use the site;

h the proposed **parking area** is designed, constructed and adequately Performance Standards in Rule 13.10.28 or the the **Kaipara District rds 2011**; and

al will affect the values of any Outstanding Natural Landscape identified ole the extent to which the subdivision, use or development meets the contained in Appendix 18B.

cil may require as a Condition of Consent either that:

aces required be provided on other available sites in the immediate

ne Council for the purchase of land and/or the construction of suitable s.

red by the Council shall not exceed the value of a sufficient part of the ne vehicles for which provision is required, and the associated cost of

ape features is provided in Appendix 18A. The values associated with as are described in the Kaipara District Landscape Technical Report

13.13A Awakino Precinct Subdivision

Rule	Parameter	Terms for Subdivision	Matters for Discretion		
13.13A.1	General Rules	 Any subdivision within Awakino Precinct is not subject to Residential Zone Rules 13.11.1 – 3, 13.12.1, 13.13.1 and 2. 	Council will restrict its discretionary over application for Resource Consent under		
		2. Any subdivision within the Awakino Precinct is a Restricted Discretionary Activity where it complies with:	Rule 13.13A.1 General Rules and Rule		
		a. The relevant Performance Standards in Section 13.10 and 13.14 of this Chapter.	(1) The extent to which the proposal		
			(2) The extent to which the proposal		
		3. Any subdivision within the Awakino Precinct is a Discretionary Activity where it does not comply with rules	(3) The design, size, shape, gradient		
13.13A.2	Subdivision Design	13.13A.2 and 13.13A.3, 13.13A.5 – 13.13A.8-	(4) Whether the proposal utilises low designs, outfalls that mitigate con construct and maintain such device		
13.13A.Z	Subdivision Design Rules	1. Every allotment has a minimum net site area of 450m ² and an average net site area of 600m ² , and	(5) The extent to which stormwater q		
		 Where every allotment has an area of 450m² exclusive of vested assets, shared access and land located within Sub-Area A as identified Awakino Precinct Plan. 	contaminants generated from the stormwater quality monitoring ass consent holder's maintenance ob		
		3. A connection to public reticulated wastewater infrastructure is available, or a private wastewater system is proposed to be established to serve all proposed allotments.	(6) Where staged subdivision is prop spaces and connections to servic		
		4. Every urban block has:	(7) Where common lots are proposed		
		a. A maximum length of 250m.	that all infrastructure managemen		
		b. A maximum perimeter (bounded by roads) of 750m.	(8) Where there are any communally joint responsibilities arising from a		
		5. Any application under rule 13.13A.2 shall comply with the following information requirement:	ensure the on-going implement		
		 Earthworks – Details of any excavation and fill associated with the subdivision, including erosion and sediment control measures in accordance with best practice. 	(9) Location of existing buildings, acc		
		Note 1: Within the Awakino Precinct, good management practice for erosion and sediment control measures is equivalent to those set out in the guideline document, 2016/05 Erosion and Sediment Control Guide for Land Disturbing Activities in the			
10.404.0	On an On and Dular	Auckland Region. Incorporating amendment 2, 2020.	(11) The provision, location, design, ca infrastructure, and how any adver		
13.13A.3	Open Space Rules	1. Any subdivision within the Awakino Precinct, where the site contains an indicative neighbourhood park shown on the Awakino Precinct Plan shall provide a neighbourhood park that shall:	(12) The protection of land within the p allotments for future infrastructure		
		a. Be no less than 3000m ² in net site area for the provision of a children's play area.	(13) Whether sufficient firefighting wat		
		b. Be located in general accordance with the indicative neighbourhood park shown on the Awakino Precinct	(refer to Note 1)		
		Plan.	(14) Avoidance or mitigation of natural		
		c. Include flat open spaces suitable for a range of informal recreational activities.	Rule 13.13A.3 Open Space Rules		
		 Rule 13.13A.3.1 shall not apply where a neighbourhood park has been legally established within the Awakino Precinct. 	(15) Whether the subdivision creates I wetland enhancement areas) that having regard to finished contours		
		3. Any application under rule 13.13A.3.1 shall comply with the following information requirement:	(16) The extent to which a Green Ame		
		a. The neighbourhood park shall be supported by a plan confirming the park is suitably located, sized and	parks in a manner that encourage		
		provides for a range of recreational opportunities.	Rule 13.13A.4 Road Layout Rules		

ver the following matters when considering and determining an ler rule 13.13A:

- le 13.13A.2 Subdivision Design
- al is consistent with the Awakino Precinct policies.
- al is generally in accordance with the Awakino Precinct Plan.
- ent and location of any allotment, urban block or public road.
- ow impact and/or water sensitive stormwater management devices and oncentrated flows and detail of any obligations for lot owners to vices.
- r quality treatment has been provided to protect the environment from ne activity including whether the proposal includes appropriate associated with the design and construction stages as well as the obligations.
- oposed, whether all necessary infrastructure, roading, utilities, public vice the proposed development will be established.
- sed, the extent to which appropriate mechanisms are provided to ensure ent and maintenance requirements are sustainable.
- Ily owned or managed services, infrastructure or other such assets or n any proposal; that the nature of arrangements which are proposed ation of such arrangements whether through body corporate or similar
- access and manoeuvring, and private open space.
- nent boundaries and building areas so as to avoid potential conflicts activities, including reverse sensitivity effects.
- capacity, connection, upgrading, staging and integration of verse effects on existing infrastructure are managed.
- e proposed allotments to allow access and linkages to adjacent ure.
- ater supply is available, taking into account a risk based assessment
- ral or man-made hazards.
- es lots adjoining public open space (including recreation reserves and hat are designed to encourage passive surveillance of reserve areas ours, retaining, fencing and landscaping.
- nenity Street is created, providing a connection between open space, ges cycle and pedestrian movement between areas of open space.

13.13A.4	Road Layout Rules	1. Any subdivision within the Awakino Precinct shall construct and establish a loop road, (to vest as public road)	(17) The extent to which adequate acc
		 located in general accordance with the indicative Primary Loop Road shown on the Awakino Precinct Plan or Where the full extent of the indicative Primary Loop Road shown on the Awakino Precinct Plan is not provided, 	(18) The extent to which the proposal p cycling and roading function and d
		any subdivision within the Awakino Precinct shall:	(19) The location of vehicle crossings,
		a. Construct and establish any part of the indicative Primary Loop Road within the site boundary in general accordance with the indicative Primary Loop Road shown on the Awakino Precinct Plan and	avoid no exit roads and cul-de-sac (20) The nature of proposed street fron
		b. Provide a minimum of two public road intersections with Awakino Road where those intersections are connected internally within the Awakino Precinct via a public road.	(20) The nature of proposed street nor (21) The safe and efficient movement of cyclists, and the potential effects of
		 Any subdivision within the Awakino Precinct shall construct and establish the a-Green Amenity Street-(to vest as public road) located in general accordance with the indicative Green Amenity Street shown on the Awakino 	Rule 13.13A Awakino Road Upgrade Rul
		Precinct Plan, where:	(22) Whether subdivision or developme urban standards along the extent of
		 A minimum of 8 locally eco-sourced indigenous trees, of a minimum planter bag size of 160L shall be planted on each side (16 in total) of the Green Amenity Street within the road reserve; and 	(23) Whether State Highway 12/Awakir
		 The Green Amenity Street shall be established in accordance with the Awakino Precinct Green Amenity Street Cross-Section. 	accommodating the traffic from the predicted traffic from the land whic
		4. Any application under rule 13.13A.4 shall comply with the following information requirement:	(24) Whether safe and connected activ development to established footpa
		a. The road layout is supported by an Urban Design Assessment prepared by a suitably qualified expert.	Rule 13.13A.6 Ecological Enhancement F
		b. The Green Amenity Street layout indigenous planting shall be supported by a street tree planting plan prepared by a suitably qualified expert.	(25) Measures to ensure the protection not limited to) the creation, extensi protection of natural wetlands and
		c. Any subdivision that creates a new road must be accompanied by an integrated transport assessment prepared by suitably qualified transport planner or traffic engineer. Information must be provided,	avoidance, remediation or mitigation
		detailing how the subdivision design and any methods proposed allows for the safe and efficient function of the transport network. This assessment shall identify any necessary mitigation measures that will be required to address any impacts on the transport network, including:	(26) Where any subdivision involves an protection and enhancement have wetlands, weed and pest manager
		 Potential mitigation measures needed both within the proposed development and on the immediately adjacent transport network including any improvements, upgrades, alterations or extensions to the 	provided and any required mechan avoidance of doubt these areas m
		transport network. ii. Any mitigation required to achieve convenient and safe operation of access points for all users and	(27) The extent to which the subdivision including methods of weed and pe
		safe and efficient pedestrian and cycle connections and crossings.	Rule 13.13A.7 Archaeological Site Rules
13.13A.5	Awakino Road	1. Any subdivision that establishes the first public road/Awakino Road intersection in accordance with the Awakino	(28) Effects on cultural and heritage values undertaken with Tangata Whenua
	Upgrade Rules	Precinct Plan and results in no more than 150 cumulative residential lots within the Awakino Precinct shall upgrade Awakino Road to an urban road standard at the intersection location at a distance 25 metres north and	Rule 13.13A.8 Noise Rules
		south of the centre of the intersection; or	(29) The effects on people's health and and effects from future levels of no
		2. Any subdivision that results in more than 150 cumulative residential lots within the Awakino Precinct, shall upgrade Awakino Road to an urban road standard from 10 metres south of Paratai Place to the northern most	Note 1:
		public road/Awakino Road intersection from Awakino Precinct; or	For avoidance of doubt, an example of su
		3. Any subdivision that establishes the Northern Access Road/Awakino Road intersection as shown on the Awakino Precinct Plan shall upgrade Awakino Road to an urban standard from the proposed intersection to the	generally include (subject to site-specificWithin 90metres of an identified building
		northern most Primary Loop Road/Awakino Road intersection in accordance with the Awakino Precinct Plan, or	Existing or likely to be available at a tim
		a distance of 180m to the south should the northern most Primary Loop Road/Awakino Road intersection not be established/proposed.	Accessible and available all year round
		4. Any Awakino Road upgrading required in rules 13.13A.5.1 – 3 shall be limited to:	May be comprised of water tanks, permain on or off the lot.
		a. Kerb and channel on both sides of road;	
		b. Infill of existing open swale drainage;	
		c. 7.5-metre-wide carriageway (Face of kerb to Face of kerb);	
		d. Re-establishment of abutting properties vehicle crossings.	
		e. Where there is no existing and physically established pedestrian crossing within Awakino Road, located within 750m south of the proposed intersection, a pedestrian crossing shall be established:	
		i. South of the new intersection by no more than 50 metres; and	

ccess is provided to each lot.

- l provides connections to transport networks including walking and design, including parking.
- s, private access ways and proposed allotment boundaries so as to acs.
- ontage in terms of securing effective, safe access onto a legal road.
- t of people and vehicles including traffic manoeuvring, pedestrians and son the accessibility and safety of transport networks.

lules

- ment will result in Awakino Road being progressively upgraded to nt of road reserve that fronts the precinct boundary;
- kino Road intersection is capable of safely and efficiently the subdivided and developed portion of the precinct including the nich is the subject of the application.
- tive transport networks will be achieved from the subdivision or path and cycling facilities

nt Rules

on, restoration or enhancement of any natural features, including (but nsion or upgrading of services and systems, planting or replanting, the nd rivers or any other works or services necessary to ensure the ation of adverse environmental effects.

an identified natural wetland or river, whether the details of ecological ve been provided, including 10m riparian planting to rivers and gement controls and indigenous revegetation (where appropriate), are nanisms for ownership and maintenance of the area. For the may form parts of private lots and be held in private ownership.

ion avoids adverse effects on significant flora and fauna habitats, pest management.

values (as defined in Chapter 17), including any consultation a as appropriate;

nd internal residential amenity, including effects on future residents noise anticipated when the application is being assessed.

sufficient firefighting water for a single residential dwelling will fic risks) 10,000 litres of water from sources that are:

ing platform on each lot; and

ime of development of the lot; and

nd; and

nanent natural waterbodies, dams, swimming pools, whether located

			ii. Where less than 150 residential lots are established the pedestrian crossing shall be formed to a supporting standard; or
			 Where more than 150 residential lots are established the pedestrian crossing shall be formed to a primary standard and no other primary pedestrian crossing point is located within 750m to the south.
			iv. To connect by a 1.8 metre wide footpath, the new footpath/shared paths to be constructed as part of proposed road infrastructure to existing footpaths on the western side of Awakino Road.
		f. g	within 750m south of the proposed intersection, a footpath shall be established along the eastern side of Awakino Road to the location of that pedestrian crossing
		5. T	he rules 13.13A.5.1 - 3 shall not apply if works have already been consented and constructed.
		7 w rc	/here there is an existing and physically established pedestrian crossing within Awakino Road located within 50m south of the proposed intersection, and no other pedestrian crossing is proposed under 13.13A(5), a 1.8m ide footpath shall be established along the eastern side of Awakino Road from the northern most public bad/Awakino Road intersection from Awakino Precinct to the location of that existing pedestrian crossing where there is no existing and physically established footpath)
		fr bj a:	ny subdivision which results in a cumulative total of 70 additional peak hour (not daily) traffic movements om the Awakino Precinct at the intersection of State Highway 12 and Awakino Road must be accompanied y an integrated transport assessment prepared by suitably qualified transport planner or traffic engineer. Any ssessment shall be commensurate to the scale and effect of the proposed development, and identify of any eccessary mitigation measures that will be required to address any impacts on the transport network, including:
			i. A summary of the implications that the development will have for transport on the intersection with Awakino Road and the State Highway, including any proposed mitigation measures.
			ii. A Safe System Approach Assessment of the intersection.
13.13A.6	Ecological Enhancement Rules	Ve	ny subdivision within the Awakino Precinct where the site contains a n natural wetland, river or indigenous egetation shown on the Awakino Precinct Plan shall-legally protect in perpetuity and manage on an on-going asis the ecological feature in accordance with an Ecological Enhancement and Management Plan.
		2. A	ny application under rule 13.13A.6.1 shall comply with the following information requirement:
		a	. An Ecological and Wetland Assessment and Ecological Management Plan shall be prepared to ensure that existing natural wetland, river or indigenous vegetation and ecological values on site are appropriately enhanced as a part of site development. Any Ecological and Wetland Assessment shall consider requirements under the NPS-IB (2023).
13.13A.7	Archaeological Site Rule		ny subdivision within the Awakino Precinct where the site contains an indicative archaeological site shown on e Awakino Precinct Plan shall legally protect in perpetuity all land within 20m of the feature.

13.13A.8	Noise Rules	 Any subdivision within the Awakino Precinct where the site boundary adjoins the Designation D34 Dargaville Landfill shall establish and provide for on-going maintenance of a noise barrier where:
		a. The noise barrier is located in accordance with the Awakino Precinct Noise Plan.
		b. The noise barrier is a total of 2.5 metres finished height above ground level at the adjacent boundary.
		c. The noise barrier ls is comprised of either:
		i. An earth bund; or
		ii. An acoustic fence; or
		iii. A combination of a base earth bund and acoustic fence.
		d. The design and construction of the noise barrier shall:
		i. Be certified by a suitably qualified engineer to confirm that the noise barrier finished height of the bund complies with the relevant rules following settlement; and
		ii. Be certified by a suitably qualified acoustic engineer to confirm that the acoustic fence has an overall surface density of at least 10kg/m ² with less than 1% leakage between fence palings and between the bund and the bottom of the fence.
		Note: For the purpose of this rule an acoustic fence shall not constitute a building and shall not require approval under rules 13.10.6 and 13.10.7.

Rule	Parameter		Activity Status if the Activity does not meet the Performance Standard	Assessment Criteria
13.14.2	Road, Private Way Formation and		Discretionary Activity	Council will have regard to the follow under this Rule
	Property Access	 (1) Property Access a) Every <i>allotment</i> within the subdivision is capable of having vehicular access to a <i>road</i>; 		i) Whether and the extent to whi
				ii) Whether and the extent to whi
		 b) Property access is formed where it is shared by two or more allotments; c) Vabiala access and drivenue complexity Bule 12 10 25; 		to increased traffic from the s <i>t</i>
		 c) Vehicle access and <i>driveways</i> comply with Rule 13.10.25; d) No more than access all atmosts are conved by a private shared access; 		iii) Whether and the extent to whi increased traffic from the subd
		d) No more than seven allotments are served by a private shared access;		iv) Whether and the extent to whi
		 e) Driveways onto the road or <i>private ways</i> are located in a manner that will allow for the safe entry and exit from the <i>site</i> based on expected vehicle operating speeds and methods for controlling vehicle speeds; 		 v) Whether and the extent to whether and the extent to whether and the extent to whether provision of the new road
		 Driveways onto the road or private ways are located to provide adequate sight distances for the safe functioning of the <i>vehicle crossing</i> and access; 		vi) Whether an adequate alternat
		g) The property access is of a suitable width to contain required services.; and		use;
		h) For new vehicle crossings on to State Highways, all NZ Transport Agency engineering		vii) Whether the access can conta
		requirements have been satisfied.		viii) The expected vehicle operatin
		Note 1: Any changes in land use, <i>development</i> or subdivision on sites that have access over a railway line require approval from the New Zealand Railways Corporation under the New Zealand		speeds;
		Railways Corporation Act 1981.		ix) Adequacy of sight distances a
		(2) Road, Private Way, Cycle Way and Property Access Formation		access;
		a) Road vesting in accordance with the following requirements, excluding sites within the Awakino		x) Possible measures or restriction
		Precinct:		xi) Possible adverse effects on C
		 Driveways serving eight or more allotments shall be by public road vested with Council; 		xii) Any foreseeable future change
		 Design and construction shall be to the satisfaction of Council's Asset Manager (in accordance with the Standards in Kaipara District Council Engineering Standards 2011); and 		xiii) The provision made to mitigate access on waterways, ecosys
		 A cul-de-sac shall be provided at the end of any no-exit public road. 		xiv) Whether and the extent to which District Council Engineering Engineer.; and
		 b) Use and construction of unformed legal roads is to the satisfaction of Council's Asset Manager (in accordance with the Standards in Kaipara District Council Engineering Standards 2011), excluding sites within the Awakino Precinct. 		xv) Where a new access is being sites that have access over a
		(3) Awakino Precinct Road, Private way, Cycle Way and Property Access Formation		New Zealand Railways Corpo
		 a) Road vesting in accordance with the following requirements: i) Driveways serving either 8 or more allotments shall be by public road vested with 		xvi) Within the Awakino Precinct, t traffic manoeuvring, pedestrial safety of transport networks.
		 Council; Roads and Private Ways shall be designed and constructed in accordance with the Kaipara District Council Engineering Standards 2011, except as they relate to the following: 		xvii) Within the Awakino Precinct, v (including recreation reserves surveillance of reserve areas t landscaping.
		 The legal and construction widths as detailed in Table 5.1 of the Kaipara District Council Engineering Standards 2011 do not apply. Legal and 		xviii)Within the Awakino Precinct, v located to integrate with riparia
		 construction widths shall meet Table 13.1. On-street car parking detailed in 5.2.10.d of the Kaipara District Council Engineering Standards 2011. On-street parking shall be provided at a rate of 1 per 2 dwellings along the Primary Loop Road and at a 1 per 4 dwellings for 		xix) Within the Awakino Precinct, t between open space, parks in pedestrian movement between
		all other roads.		Note 1: General assessment of the Ka part of the assessment of the Sub compliance with any of these Standard
		(1) Where a Council reticulated wastewater system is available:		Council will have regard to the following

PPC82 Moonlight Heights - Right of Reply Recommended Provisions -

wing matters when considering an application for Resource Consent

hich the **road** or **private way** follows the alignment of indicative roads;

- hich there is a need for forming or upgrading roads in the vicinity, due **subdivision**;
- hich there is a the need for traffic control measures on the roads due to bdivision;
- hich there is a the need for footpaths;
- which there is a need for stormwater management associated with d or private way;
- ative access is able to be provided for the anticipated

tain required services;

ting speeds and methods for controlling vehicle

available at the vehicle crossing and along the

- tions on vehicle movements in and out of the access;
- Council infrastructure on adjoining properties;
- ges in traffic patterns in the area (including future congestion);
- ate the effects of stormwater runoff and any impact on roading and /stems, drainage patterns or the amenities of adjoining properties;
- nich the road, private way or property access complies with the *Kaipara og Standards 2011* or has been confirmed as appropriate by Council's
- ng provided or an existing access onto a State Highway modified, or on a railway line, whether the consent of the NZ Transport Agency and/or poration is obtained;
- , the safe and efficient movement of people and vehicles including ians and cyclists, and the potential effects on the accessibility and
- , whether the subdivision creates lots adjoining public open space es and riparian/green corridors) that are designed to encourage passive s having regard to finished contours, retaining, fencing and
- , whether parks will be accessible to pedestrians and cyclists and rian margins and the Green Road where possible.
- , the extent to which a green street is created, providing a connection in a manner that provides ecological benefit, encourages cycle and een areas of open spaces.
- Kaipara District Council Engineering Standards 2011 is undertaken as bdivision Resource Consent application and conditions relating to rds may be applied to the consent as part of the engineering approval.

ng matters when considering an application for Resource Consent

a) The written approval of Council's Asset Manager is obtained and provided with the application to confirm that the Council wastewater system can be extended to serve the subdivision; and	under this Rule: i) Whether the capacity, availability and a proposed subdivision;
 b) All allotments are provided, within their net site area, with a connection to the Council reticulated wastewater system; and 	ii) Whether there is sufficient land availab unserviced sites;
c) The reticulated wastewater system is designed and constructed in accordance with the specific requirements of the Council wastewater system; and	iii) Whether and the extent to which the ap complies with the provisions of the Kaipar
d) All water pipelines vested with Council shall be protected by an Easement in favour of Council.	confirmed as appropriate by Council's Eng
(2) Where a community wastewater system is proposed, the system shall be designed in accordance with AS/NZS1547:2008 "Onsite Wastewater Management Standards"	iv) Whether the existing wastewater treatr has sufficient capacity to service the subd
(3) Where no Council system is available, all allotments are provided, within their net site area, with:	 v) Whether a reticulated system with a gra whether it is feasible to provide alternative pumping stations, complete pressure, or y
a) 1,500m ² area of land per household for wastewater disposal within the boundaries of the site.	mains within legal roads will be required u
The area shall be clear of building sites, driveways and manoeuvring areas; and b) The applicant must demonstrate that an on-site disposal system meeting the requirements of the Regional Water and Soil Plan for Northland can be installed; and	vi) Where a reticulated system is not avail wastewater treatment or other disposal sy discharge system in accordance with regi Council;
c) Applicants shall demonstrate that any effluent discharges comply with the requirements of the Regional Water and Soil Plan for Northland (or consent for discharges from the Northland Regional Council has been obtained).	vii) Where a reticulated system is not imm temporary system is appropriate. Note: C pursuant requiring individual allotments to
d) Clause (3) does not apply to the Awakino Precinct.	
Note 1: Effluent discharges may require Resource Consent under the Regional Water and Soil Plan for Northland. Applicants should contact the Northland Regional Council to determine whether or not a Resource Consent is required.	viii) Whether provision has been made by are not discharged to the environment fro any consent notices to ensure compliance
Note 2: Where parallel Resource Consent for effluent discharge is required from the Northland Regional Council, Kaipara District Council will seek to undertake joint processing of both applications, via delegated	ix) The need for and extent of any financia Contributions to achieve the above matter
authority from the Northland Regional Council.	 x) Whether there is a need for a local purp public wastewater utility for disposal or tree
	xi) The provision of practical vehicular acc for waste water purposes; and
	xii) Whether the subdivision represents th for the disposal of wastewater.
	Note 1: General assessment of the Kaipara Dis assessment of the Subdivision Resource Cons Standards may be applied to the Consent as p

nd accessibility of the reticulated system is adequate to serve the

ilable for wastewater disposal on site, minimum 2,000m2 for

ne application includes the installation of all new reticulation, and aipara District Council Engineering Standards 2011 or has been Engineer;

eatment and disposal system, to which the outfall will be connected, subdivision;

a gravity outfall is provided, and where it is impracticable to do so, ative individual pump connections (with private rising mains), or new or vacuum systems. Note: Council consent to install private rising ed under the Local Government Act;

available, or a connection is impracticable, whether a suitable al systems is provided in accordance with regional Rules or a regional Rules or a discharge permit issued by the Northland Regional

immediately available but is likely to be in the near future whether a e: Consent notices may be registered against Certificates of Title ts to connect with the system when it does become available;

e by the applicant for monitoring mechanisms to ensure contaminants t from a suitable wastewater or other disposal system, together with ance;

ancial contributions in accordance with Chapter 22: Financial atters;

purpose reserve to be set aside and vested in Council as a site for any or treatment purposes required to be provided;

r access from a public road to and along any area vested with Council

is the best practicable option in respect of the provision that is made

a District Council Engineering Standards 2011 is undertaken as part of the Consent application and conditions relating to compliance with any of these as part of

13.14.5	Stormwater Disposal	(1) Where available all allotments are provided, within their net site area, with:	Discretionary Activity	Council will have regard to the following under this Rule:
		a) A connection to a <i>Council</i> -maintained stormwater system, excluding sites within the Awakino Precinct.; or		i) Whether there is sufficient contri
		(2) Where no Council system is available:		sediment; ii) Whether there is
		a) All allotments are provided with the means for the transport and disposal of collected		stormwater;
		stormwater from the roof of all potential or existing buildings and from all impervious surfaces, in such a way as to avoid any adverse effects of stormwater runoff on the receiving environment in accordance with the Kaipara District Council Engineering Standards 2011,		ii) Whether and the extent to whic cater for increased runoff from
		excluding sites within the Awakino Precinct.		iii) Whether and the extent to which
		(3) Awakino Precinct Stormwater Management		iv) Catchment Integrated Develop
		<u>a)</u> All allotments are provided with the means for the transport and disposal of collected stormwater from the roof of all potential or existing buildings and from all impervious surface, in such a way as to mitigate any adverse effects of stormwater runoff on the		v) Whether and the extent to whether stormwater runoff, including low
		receiving environment by providing:		vi) Whether and the extent to whic
		 Treatment of the Water Quality Volume (WQV) or Water Quality Flow (WQF) from all contaminant generating impermeable surfaces by a water quality device for the relevant contaminants. 		vii) Whether and the extent to which the <i>Kaipara District Council E</i>
		ii) Retention (volume reduction) of a minimum of 5mm runoff depth for all impermeable		Management Plan;
		surfaces.		viii) Whether there is a need for land
		iii) Detention (temporary storage) with a drain down period of 24 hours for the difference		utility required to be provided;
		between the pre-development (grassed state) and post-development runoff volumes from the 1/3 of the 2 Year ARI, 24-hour rainfall event with climate change minus any retention volume provided for all impermeable surfaces .		ix) Within the Awakino Precinct:
		iv) Conveyance and discharge of primary and secondary flow in accordance with the		- The extent to which run-off catchment.
		Kaipara District Council Engineering Standards 2011.		- The applicability of retention
		Note 1: Stormwater discharges may require Resource Consent under the Regional Water and Soil Plan for Northland. Applicants should contact the Northland Regional Council to determine		- The extent to which inert bu
		whether or not a Resource Consent is required.		(4) Awakino Precinct Information R
		Note 2: Where parallel Resource Consent for stormwater discharge is required from the Northland Regional Council, Kaipara District Council will seek to undertake joint processing of both applications, via delegated authority from the Northland Regional Council.		Any application shall be supported management plan prepared by a s the following:
		Note 3: The discharge of stormwater into the rail corridor is an offence under the Railways Act 2005 unless the written consent of the New Zealand Railways Corporation has been provided.		i) Treatment of the Water Quality generating impermeable surfa
		Note 1: Within the Awakino Precinct, 1/3 of the 2 Year ARI 24hr rainfall depth with climate change is to be		ii) Retention (volume reduction) o
		used to determine the Water Quality Volume (WQV) when designing a treatment device. Note 5: Good management practice for stormwater management is equivalent to those set out in the guideline document, Stormwater <i>Management Devices in the Auckland Region (GD01)</i> .		iii) Detention (temporary storage) pre-development (grassed stat ARI, 24-hour rainfall event min
				iv) Conveyance and discharge of Council Engineering Standards
L			1	1

ving matters when considering an application for Resource Consent

- ontrol of water-borne *contaminants*, litter and
- e is sufficient land available for disposal of
- hich the capacity of the downstream stormwater system is able to m the proposed *allotments*;
- which measures are necessary in order to give *effect* to any drainage
- *lopment* that has been prepared for the area;
- which measures proposed for avoiding or mitigating the effects of low impact design principles are effective;
- hich the stormwater infrastructure within the *subdivision*, is able to stems outside the subdivision;
- which the development meets the relevant performance standards or *I Engineering Standards 2011* or the Awakino Precinct Stormwater
- and to be set aside and vested in the Council as a *site* for any public l;
- off from a developed catchment is discharged back into its natural
- tion to be provided within a 72-hour period.
- t building materials are to be utilised (e.g., inert roof material).

Requirement:

- ted by a detailed stormwater assessment report and stormwater a suitably qualitied engineer to confirm that the proposal will achieve
- lity Volume (WQV) or Water Quality Flow (WQF) from all **contaminant Infaces** by a water quality device for the relevant contaminants.
-) of a minimum of 5mm runoff depth for all **impermeable surfaces**.
- e) with a drain down period of 24 hours for the difference between the tate) and post-development runoff volumes from the 1/3 of the 2 Year ninus any retention volume provided for all **impermeable surfaces**.
- of primary and secondary flow in accordance with the Kaipara District rds 2011.

Awakino Precinct Road, Private Way, Cycle Way and Property Access Legal and Construction Widths Table 13.1

URBAN										
Household Equivalents	<u>Minimum Legal</u> <u>Width</u>	<u>Minimum</u> Carriageway Width	<u>Minimum</u> /Footpath Width	Minimum Shared Path (one side of road only)	<u>Surface</u>	<u>Minimum</u> <u>Design</u> <u>Speed</u>	<u>Minimum</u> <u>Radius (m)</u>	<u>Minimum</u> <u>SSD(m)</u>	<u>Minimum</u> Cres K (m/%)	<u>Maximum</u> <u>Grade</u>
1	<u>4.2m</u>	<u>3.0m</u>	-	-	Seal	-	<u>15m</u>	<u>20m</u>	<u>0.5</u>	20.0%
<u>2 to 3</u>	<u>6.0m</u>	<u>3.0m</u>	-	-		<u>20km/h</u>	<u>15m</u>	<u>30m*</u>	<u>0.5</u>	<u>16.7%</u>
<u>4 to 6</u>	<u>12.0m</u>	<u>5.5m</u>	-	-		<u>30km/h</u>	<u>20m</u>	<u>30m</u>	<u>1.0</u>	<u>12.5%</u>
<u>7 to 30</u>	<u>18.0m</u>	<u>6.0m + indented</u> parking bays	<u>1.8m</u>	-		<u>40km/h</u>	<u>30m</u>	<u>40m</u>	<u>1.5</u>	<u>12.5%</u>
<u>31-50</u>	<u>20.0m</u>	<u>6.0m + indented</u> parking bays	<u>1.8m</u>	=		<u>40km/h</u>	<u>30m</u>	<u>40m</u>	<u>1.5</u>	<u>12.5%</u>
<u>>50</u>	<u>20.0m</u>	<u>6.5m + indented</u> parking bays	<u>1.8m</u>	=		<u>40km/h</u>	<u>30m</u>	<u>40m</u>	<u>1.5</u>	<u>10.0%</u>
Green Amenity Street	<u>20.0m</u>	<u>5.5m</u>	1.8m (One side only)	3m (other side to footpath)		<u>30km/h</u>	<u>20m</u>	<u>50m*</u>	1.0	<u>12.5%</u>
Primary Loop Road	<u>20.0m</u>	6.5m + indented parking bays	1.8m (One side only)	3m (other side to footpath)		<u>40km/h</u>	<u>30m</u>	<u>40m</u>	<u>1.5</u>	<u>10.0%</u>

Table 13.1 Notes:

(1). The legal width shall be sufficient for the carriageway (including widening on curves), cul-de-sacs, footpaths and cycleways (where appropriate), parking (where appropriate), public utilities, drainage facilities, grassed Berms, Swale Drains, amenity planting, sight benching and street furniture. Roads to vest shall have sufficient legal width for planned future development. Refer to Kaipara District Council Engineering Standards 2011, clause 5.2.4.

(2). Carriageway width is exclusive of Berms, kerb concrete and parking. Carriageway widths should be increased by up to 1.0m where there is a high proportion of heavy traffic. Additional widening is required on curves in accordance with Kaipara District Council Engineering Standards 2011 clause 5.2.5. Passing bays are required on single lane carriageways in accordance with Kaipara District Council Engineering Standards 2011 clause 5.2.5.

(3). Carriageway surface shall be sealed in accordance with Kaipara District Council Engineering Standards 2011clause 5.2.6.

(4). Design speeds are based on rolling terrain typical in Kaipara District. Higher design speeds should be considered in flatter terrain.

(5). Safe stopping sight distances marked * have been increased to provide for two vehicles approaching each other on a single lane carriageway to stop before colliding. If a two lane carriageway is proposed for access ways serving 1 to 6 lots, sight distances may be reduced accordingly. K value is the length of vertical curve (m) divided by the algebraic difference in gradients (%).


(6) Where there is potential for further development under the District Plan, the horizontal and vertical geometry and legal width shall provide for the Ultimate Development.

(7) Intersection design, public and private road design shall be carried out on accordance with Austroads guidelines, where not directly superseded by Precinct Plan Provisions.

(8) Footpath/cycleway design shall be carried out in accordance with Waka Kotahi's Pedestrian Network Guidance and Cycling Network Guidance, where not directly superseded by Precinct Plan Provisions.

Awakino Precinct Noise Plan:





PPC82 Moonlight Heights – Right of Reply Recommended Provisions – 11 September 2023